

LINAX



JAPANESE TILE WORLD





# CREATING HIGH-QUALITY SPACES THAT RESONATE IN YOUR HEART.

Welcome to the world of JAPANESE TILE

The extensive collection of INAX brand tiles offers traditional, classic designs that take advantage of authentic Japanese styles, as well as sophisticated, stylish tiles for a more modern look.

Each and every one of our tiles is created with care and attention to detail, based on the tile technology we have continuously developed and improved since 1924, as well as our rigorous system for quality control.

Our uncompromising standards for esthetics and texture are reflected in the details of our finished products.

This Japanese tile brand offers refined techniques and unfaltering quality and helps customers to create high-quality spaces that resonate in the hearts of those who behold them.





## INDEX


- 02 SENTOUSAI *Renewal*
- 04 CRESCENT BORDER
- 06 ARENALEAF
- 08 YOHEN BORDER
- 10 IZUMO
- 12 DENT CUBE
- 14 TOUEN *New*
- 16 WAVE BORDER
- 18 TOUJURIN
- 20 SEKIHA
- 22 PLATEAU BLOCK
- 24 HOSOWARI BORDER
- 26 YUKI BORDER
- 28 YUMON *New*
- 30 LASCAVE
- 31 OMBRE BORDER *New*
- 32 LUMINOS *New*
- 33 GAMON *New*
- 34 FORMAT-MIX
- 36 VISORE
- 38 STREAM BORDER
- 40 MIROCAVE
- 42 RHYTHMIC II
- 44 RHYTHMIC II CROCHET
- 46 FOUREFLE
- 48 REPEAT WAVE
- 49 CHOCOLATE *New*
- 50 CELAVIO F *New*
- 51 CELAVIO G *New*
- 52 GIYAMAN BORDER *New*
- 53 MADOKA-R







# SENTOUSAI Renewal



HAL-RN/STS-11



HAL-RN/STS-12



HAL-RN/STS-13

## HAL-RN/STS-11~STS-13

[ size/pc ] 235x13 mm


[ size/sht ] 237x90 mm

[ thickness ] 22 mm

[ quantity/sqm ] 46.9 shts

[ quantity/carton ] 30 shts

[ weight/carton ] 18.3 kg



### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

#### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.



### "Kawarabei"

Traditional artisans in Japan had an eco-aware custom of reusing old roof tiles of various shapes as material for the exterior walls of new houses. These walls show fragments of these roof tiles kneaded into them. INAX's Sentousai tiles recreate the natural textures of these *kawarabei*, i.e., plaster (mud) walls. Three types of tiles, all with different thicknesses, make up Sentousai. The lights and shadows produced by these differences in thicknesses are a unique feature of these unusual Sentousai tiles.





### "Mikazuki"

Since the eighth century when the Manyōshū, Japan's oldest poetry anthology, was compiled, persons of compassion and sensitivity have sought to express their feelings about the moon through a richness of expression that illustrates the different impressions the heavenly orb has made through the ages. CRESCENT BORDER tiles present a contrast in color reflecting the radiant glow of pearly moonbeams on iridescent ocean waves. This eternal play of light and shadow is recreated by these radial tiles in their accent on interior design.



## CRESCENT BORDER



DCF-10BNET/CRS-1



DCF-10BNET/CRS-2




DCF-10BNET/CRS-3



DCF-10BNET/CRS-4

### DCF-10BNET/CRS-1~CRS-4

[ size/pc ] 147.5×10 mm  
[ size/sht ] 300×150 mm  
[ thickness ] 7~22 mm  
[ quantity/sqm ] 22.3 shts  
[ quantity/carton ] 12 shts  
[ weight/carton ] 15.2 kg



Net mounted on back  
Net color: Gray

Cross section



### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.
- There may be have non-uniform lines on the surface.











# ARENALEAF



DCF-150BNET/  
ANF-1



DCF-150BNET/  
ANF-2



DCF-150BNET/  
ANF-3

## DCF-150BNET/ANF-1~ANF-3

[ size/pc ] 148x18.5 mm


[ size/sht ] 150x300 mm

[ thickness ] 5~9.5 mm

[ number per ] 22.3 shts

[ sht/case ] 12 shts

[ weight/case ] 8.7 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.



### "Tatami"

Traditional tatami flooring is indispensable to daily life in Japan. Its natural dry scent comes from the interwoven stalks of igusa, a rush-like plant, that covers *tatami*. It also recalls the comfort and relaxation associated with kicking off footwear and any stresses remaining after finally arriving home after a long day. ARENALEAF tile designs feature the flexible, relaxing interwoven pattern of *tatami* that underlies home life. A wall of ARENALEAF tile presents the relaxing space and sophisticated ambience associated with modern Japanese living.






### "Keshiki"

Yohen (literally meaning "kiln change") is a traditional method used in ceramics that has existed since the times of old and involves utilizing the random color transformations that an object undergoes during firing. It is often used for the tea cups used in the traditional Japanese tea ceremony. The color tones created by chance are known as "keshiki," meaning "scenery," and people enjoy the colors and patterns that are created without intent as though looking at beautiful scenery. The variety and complexity of these color tones bring to mind images of the changing leaves in Japan in autumn, with no two the same. In this way, each of these Yohen Border tiles is slightly different from the last. Enjoy the balance of the colors chance created, and the "scenery" that unfolds in front of you.

## YOHEN BORDER



IM-1015P1/YB1H



IM-1015P1/YB2H



IM-1015P1/YB3H



IM-1015P1/YB4H



IM-1015P1/YB21H



IM-1015P1/YB22H



IM-1015P1/YB23H



IM-1015P1/YB11H



IM-1015P1/YB12H



IM-1015P1/YB13H

### IM-1015P1/YB1H...YB23H

[ size/pc ] 98x12.5 mm


[ size/sht ] 300x300 mm

[ thickness ] 6 mm

[ quantity/sqm ] 11.5 shts

[ quantity/carton ] 22 shts

[ weight/carton ] 22.5 kg



Net mounted on back  
Net color: Paper

#### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ○

#### NOTE:

- Color difference may occur between samples and actual batch.
- Has color variation.
- Water-proofing adhesive is required for bathroom wall installation.



















# IZUMO



IZM-310/1



IZM-310/2



IZM-310/3

## IZM-310/1~3

[ size/pc ] 294x94 mm


[ size/sht ] 300x100 mm

[ thickness ] 13 mm

[ quantity/sqm ] 33.4 pcs

[ quantity/carton ] 33 pcs

[ weight/carton ] 25 kg




### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar ○ Grouting ○

### NOTE:

- Has color and glaze variation.
- Color difference may occur between samples and actual batch.



### "Shinzan Yu-koku"

The beautiful interweaving waves of mountains and valleys, with their subtle elegance, is often described as *shinzan yu-koku* in Japan, meaning "deep mountain glen." The slight changes in colors from white, to red, to black that occur with the sunlight have long been the subject of poems and ballads, and the motif for ink wash paintings and traditional Japanese paintings, due to the way they stimulate the artistic senses. The white of morning mist, the red of sunset, and the jet black of darkness – Izumo expresses these three colors which nature produces through clouds, the sky, and light. Its uneven surface and the texture which maximizes the glazed pottery feeling make it truly special. Izumo creates beautiful walls which reflect the light wonderfully.



## "Masu"

A *masu* is a cube-shaped vessel made from wood such as cypress, using expert techniques that do not require the use of any nails. *Masu* have been used as vessels for holding rice or sake in Japan for more than 1300 years. Today, the wonderful fragrance of their wood means they are used to drink sake in the celebratory sake barrel opening called *kagami biraki*, performed at New Year or the start of special events, as well as for the traditional Japanese bean throwing festival performed at *setsubun*. Dent Cube evokes images of *masu*, the symbol of celebration, lined up in an orderly fashion. Its unevenness creates a feeling of three dimensions and generates shadows. Combining two colors of tiles from the same series can create a space with a greater feeling of change.

# DENT CUBE



DCF-50NET/  
DNC-1A



DCF-50NET/  
DNC-2A




DCF-50NET/  
DNC-1



DCF-50NET/  
DNC-2

## DCF-50NET/DNC-1A~DNC-2A


[ size/pc ] 47×47 mm  
[ size/sht ] 300×300 mm  
[ thickness ] 10 mm, 18 mm  
[ quantity/sqm ] 11.2 shts  
[ quantity/carton ] 10 shts  
[ weight/carton ] 18.5 kg



Net mounted on back  
Net color: Gray

## DCF-50NET/DNC-1~DNC-2

[ size/pc ] 47×47 mm  
[ size/sht ] 300×300 mm  
[ thickness ] 10 mm  
[ quantity/sqm ] 11.2 shts  
[ quantity/carton ] 10 shts  
[ weight/carton ] 15 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.











# TOUEN


New




HAL-30B/TEN-1



HAL-30B/TEN-2




HAL-30B/TEN-3



HAL-30B/TEN-4

## HAL-30B/TEN1~TEN4

[ size/pc ] 235×27 mm  
 [ size/sht ] 239×300 mm  
 [ thickness ] 12 mm, 16 mm  
 [ quantity/sqm ] 14 shts  
 [ quantity/carton ] 11 shts  
 [ weight/carton ] 19.6 kg



Net mounted on back  
 Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.

### "Hokosugi"

The cedar tree, native to Japan, has long been treasured for the use of its timber. Its distinctive aroma has led to it often being used to make wooden tubs and sake barrels. The cedars that grow straight and tall like a spear are known as *hokosugi* ("spear cedars"), and can grow to be as tall as 50 meters high. Japanese people feel fondly towards these trees as a symbol of growth. The bark on a mature tree's trunk is characterized by vertical cracks, affording a strong and powerful look. TOUEN recreates this image of the cedar tree, its texture similar to roughly cut bark and its straight lines similar to those on the trunk. A wall tiled with this distinguished design can only get better with time.













# WAVE BORDER



DCF-20BNET/  
WAB-1



DCF-20BNET/  
WAB-2




DCF-20BNET/  
WAB-3



DCF-20BNET/  
WAB-4

## DCF-20BNET/WAB-1~WAB-4

- [ size/pc ] 235×19 mm
- [ size/sht ] 237×300 mm
- [ thickness ] 15.5 mm
- [ quantity/sqm ] 14.1 shts
- [ quantity/carton ] 12 shts
- [ weight/carton ] 20 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

#### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.
- Powders may fall off when it is scratched.



### "Tanada"

Terraced rice fields that cover the side of a hill like stairs of varying shapes and sizes. During the rice planting season, the water on the surface of each field glimmers and the ridges and banks look just like waves. With rice being the main staple of their diet, Japanese people have lived alongside rice crops since the times of old. Wave Border was designed to imitate such beautiful terraced rice fields, a scene that stirs feelings of nostalgia in all Japanese people as a landscape of the heart. Its continuing ripples evoke images of rolling waves. Notice how the light reflecting on it creates a whimsical feel, like the sun glittering on the ocean.




# TOUJURIN



HAL-R/BLD-1



HAL-R/BLD-2




HAL-R/BLD-3



HAL-R/BLD-4

## HAL-R/BLD-1~BLD-4

[ size/pc ] 198×10 mm  
 [ size/sht ] 200×150 mm  
 [ thickness ] 30 mm  
 [ quantity/sqm ] 34 shts  
 [ quantity/carton ] 10 shts  
 [ weight/carton ] 7 kg



### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

#### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.












# SEKIHA




HAL-R/SKH-1




HAL-R/SKH-2



HAL-R/SKH-3



HAL-R/SKH-4



HAL-R/SKH-5

## HAL-R/SKH-1~SKH-5

[ size/pc ] 235×14 mm


[ size/sht ] 237×300 mm

[ thickness ] 14.5 mm, 18 mm

[ quantity/sqm ] 14.1 shts

[ quantity/carton ] 14 shts

[ weight/carton ] 19.7 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.




# PLATEAU BLOCK



DCF-30NET/PLK-1



DCF-30NET/PLK-2



DCF-30NET/PLK-3



DCF-30NET/PLK-4

## DCF-30NET/PLK-1~PLK-4

[ size/pc ] 28×28 mm


[ size/sht ] 300×300 mm

[ thickness ] 10 mm

[ quantity/sqm ] 11.2 shts

[ quantity/carton ] 12 shts

[ weight/carton ] 15.2 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

#### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.












# HOSOWARI BORDER

## <NORMAL>




HAL-20BN/HB-1



HAL-20BN/HB-5




HAL-20BN/HB-6




HAL-20BN/HB-7


## <RANDOM>




HAL-20BR/HB-1



HAL-20BR/HB-5



HAL-20BR/HB-6



HAL-20BR/HB-7

HAL-20BN/HB-1~HB-7  
HAL-20BR/HB-1~HB-7

[ size/pc ] 235×19.5 mm


[ size/sht ] 237×303 mm

[ thickness ] 13.5 mm

[ quantity/sqm ] 14 shts

[ quantity/carton ] 14 shts

[ weight/carton ] 20.5 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:


Adhesive ○ Mortar × Grouting ×

### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.




# YUKI BORDER



IM-1520P1/YKR1



IM-1520P1/YKR2




IM-1520P1/YKR3



IM-1520P1/YKR4

## IM-1520P1/YKR1~ YKR4

[ size/pc ] 145×20 mm  
 [ size/sht ] 296×292.5 mm  
 [ thickness ] 8.5 mm  
 [ quantity/sqm ] 11.9 shts  
 [ quantity/carton ] 12 shts  
 [ weight/carton ] 17 kg



Net(Paper) mounted on back  
 Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ○

#### NOTE:

- Color difference may occur between samples and actual batch.
- Has color variation.
- Water-proofing adhesive is required for bathroom wall installation.












# YUMON

New

## 〈LINE〉



HAL-60B/YMN-1S



HAL-60B/YMN-2S




HAL-60B/YMN-3S


## 〈WAVE〉



HAL-60B/YMN-1T




HAL-60B/YMN-2T



HAL-60B/YMN-3T

HAL-60B/YMN-1S~YMN-3S  
HAL-60B/YMN-1T~YMN-3T

- [ size/pc ] 297×60 mm
- [ size/sht ] 300×70 mm
- [ thickness ] 15 mm
- [ quantity/sqm ] 48 pcs
- [ quantity/carton ] 34 pcs
- [ weight/carton ] 20 kg



### INSTALLATION MATERIAL AND GROUTING:


Adhesive ○ Mortar × Grouting ○

### NOTE:

- Has color and glaze variation.
- Color difference may occur between samples and actual batch.




# LASCAVE



HAL-75H/RSC-1



HAL-75H/RSC-2



HAL-75H/RSC-3



HAL-75H/RSC-4



HAL-75H/RSC-5

## HAL-75H/RSC-1~RSC-5

[ size/pc ] 72×72 mm


[ size/sht ] 300×300 mm

[ thickness ] 8~14 mm

[ quantity/sqm ] 11.5 shts

[ quantity/carton ] 8 shts

[ weight/carton ] 15.5 kg



Silicon joint  
Joint color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

#### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.
- This product can not be used with old model.




# OMBRE BORDER

New



DCF-20BNET/OMB-1



DCF-20BNET/OMB-2



DCF-20BNET/OMB-3



DCF-20BNET/OMB-4

## DCF-20BNET/OMB-1~OMB-4

[ size/pc ] 235×19.5 mm


[ size/sht ] 237×303 mm

[ thickness ] 13.5, 8 mm

[ quantity/sqm ] 14 shts

[ quantity/carton ] 14 shts

[ weight/carton ] 18.9 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×


### NOTE:

● Gray net may be visible from between joints.




# LUMINOS

New




HAL-R/LNS-1



HAL-R/LNS-2



HAL-R/LNS-3



HAL-R/LNS-4

## HAL-R/LNS-1~LNS-4

[ size/pc ] 235×14 mm  
235×18.5 mm  
235×25 mm


[ size/sht ] 237×300 mm

[ thickness ] 16 mm

[ quantity/sqm ] 14.1 shts

[ quantity/carton ] 12 shts

[ weight/carton ] 19.4 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

### NOTE:

● Gray net may be visible from between joints.




# GAMON New




HAL-40B/GMN-1



HAL-40B/GMN-2



HAL-40B/GMN-3



HAL-40B/GMN-4

## HAL-40B/GMN-1~GMN-4

[ size/pc ] 235x40 mm


[ size/sht ] 238x50 mm

[ thickness ] 12 mm

[ quantity/sqm ] 84 pcs

[ quantity/carton ] 60 pcs

[ weight/carton ] 15 kg



Loose piece

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

### NOTE:

● Colors may vary even within the same batch.









# FORMAT-MIX



YM-FORM/WH-MIX  
[MIXED-WHITE]



YM-FORM/BL-MIX  
[MIXED-BLACK]

## YM-FORM/WH-MIX·BL-MIX

[ size/pc ] 100×30 mm  
100×50 mm  
100×75 mm


[ size/sht ] 306×322 mm

[ thickness ] 7 mm, 9.5 mm

[ quantity/sqm ] 10.2 shts

[ quantity/carton ] 10 shts

[ weight/carton ] 15 kg



306  
Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting × \*


\* Designed for open joint installation. But grouting is recommended for bathroom wall installation to avoid joints from being stained or smelling unpleasant.

### NOTE:

● Water-proofing adhesive is required for bathroom wall installation.


### ATTENTION:

Please apply each sheet upside down when you apply this FORMAT-MIX. It does not look like the pattern on the photo below when all sheets are installed in the same direction and some tile pieces are set in the same straight line.







# VISORE



YM-155Z/VIS-11  
[WHITE PEARL]



YM-155Z/VIS-12  
[BLACK PEARL]




YM-155Z/VIS-13  
[BROWN PEARL]



YM-155Z/VIS-21B  
[WHITE PEARL]




YM-155Z/VIS-22B  
[BLACK PEARL]



YM-155Z/VIS-23B  
[BROWN PEARL]

## YM-155Z/VIS-11...VIS-23B

[ size/pc ] 45x45 mm  
[ size/sht ] 282x282 mm  
[ thickness ] 9.5 mm  
[ quantity/sqm ] 12.6 shts  
[ quantity/carton ] 18 shts  
[ weight/carton ] 22.5 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting × \*

\* Designed for open joint installation. But grouting is recommended to bathroom wall installation to avoid joints from being stained or smelling unpleasant.

### NOTE:

- Handle carefully as it is easy to get scratches and stains may be remarkable due to Metallic glazing.
- Have color and glaze variation. ● Color difference may occur between samples and actual batch.
- Water-proofing adhesive is required for bathroom wall installation.








# STREAM BORDER

〈FLAT〉




IM-315P1/IB-1FH  
[IBUSHI]



IM-315P1/MW-1FH  
[MATTE WHITE]

〈ROUND〉




IM-315P1/IB-1RH  
[IBUSHI]



IM-315P1/MW-1RH  
[MATTE WHITE]

IM-315P1/IB-1FH・MW-1FH


[ size/pc ] 145×30 mm  
[ size/sht ] 300×300 mm  
[ thickness ] 7 mm  
[ quantity/sqm ] 11.5 shts  
[ quantity/carton ] 20 shts  
[ weight/carton ] 22.5 kg



Paper mounted on surface

IM-315P1/IB-1RH・MW-1RH

[ size/pc ] 145×30 mm  
[ size/sht ] 300×300 mm  
[ thickness ] 7-10 mm  
[ quantity/sqm ] 11.5 shts  
[ quantity/carton ] 15 shts  
[ weight/carton ] 16 kg



Paper mounted on surface

## INSTALLATION MATERIAL AND GROUTING:


Adhesive ○ Mortar ○ Grouting ○

## NOTE:

●Color difference may occur between samples and actual batch.




# MIROCAVE




DCF-50NET/MRV-1  
[LUSTER WHITE]




DCF-50NET/MRV-2  
[LUSTER BLACK]



DCF-50NET/MRV-3  
[LUSTER BLUE]



DCF-50NET/MRV-4  
[LUSTER BRONZE]



DCF-50NET/MRV-5  
[LUSTER YELLOW]

## DCF-50NET/MRV-1 ~ MRV-5

[ size/pc ] 45×48 mm


[ size/sht ] 300×300 mm

[ thickness ] 10 mm

[quantity/sqm] 11.2 shts


[quantity/carton] 12 shts

[weight/carton] 17 kg



Net mounted on back  
Net color: Gray

Cross section



### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting × \*

\*Designed for open joint installation. But grouting is recommended to bathroom wall installation to avoid joints from being stained or smelling unpleasant.

### NOTE:

- Water-proofing adhesive is required for bathroom wall installation.
- Gray net may be visible from between joints.
- Handle carefully as it is easy to get scratches and stains may be remarkable due to Metallic glazing.








## RHYTHMIC II



HAL-20B/RYS-1



HAL-20B/RYS-2



HAL-20B/RYS-3

### HAL-20B/RYS-1~RYS-3

[ size/pc ] 225.5×19.5 mm  
70.5×19.5 mm


[ size/sht ] 300×300 mm

[ thickness ] 13 mm

[ quantity/sqm ] 11.2 shts

[ quantity/carton ] 12 shts

[ weight/carton ] 21.1 kg



Net mounted on back  
Net color: Gray

#### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

#### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.
- This product can not be used with old model.









Chiba Restaurant  
Designed by Isabelle Oliveri of Studio IOD Melbourne  
HAL-30B/CRC-1 (Old model)

# RHYTHMIC II CROCHET



HAL-30B/RYC-1



HAL-30B/RYC-2



HAL-30B/RYC-3

## HAL-30B/RYC-1~RYC-3

[ size/pc ] 87×27 mm  
57×27 mm


[ size/sht ] 300×300 mm

[ thickness ] 15 mm

[ quantity/sqm ] 11.2 shts

[ quantity/carton ] 12 shts

[ weight/carton ] 22.9 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×


#### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.
- This product can not be used with old model.




# FOUREFLE


## 〈BRIGHT〉




IM-1025P1/FRF-1  
[WHITE]



IM-1025P1/FRF-2  
[BLUE]



IM-1025P1/FRF-3  
[RED]




IM-1025P1/FRF-4  
[BLACK]

## 〈BRIGHT〉



IM-1025P1/FRF11



IM-1025P1/FRF12



IM-1025P1/FRF13



IM-1025P1/FRF14

## 〈MAT〉

### IM-1025P1/FRF-1~FRF-4

[ size/pc ] 95×20 mm


[ size/sht ] 294×292.5 mm

[ thickness ] 8.5 mm

[ quantity/sqm ] 11.7 shts

[ quantity/carton ] 16 shts

[ weight/carton ] 20.6 kg



Paper mounted on surface

### IM-1025P1/FRF-11~FRF-14

[ size/pc ] 95×20 mm


[ size/sht ] 300×300 mm

[ thickness ] 8.5 mm

[ quantity/sqm ] 11.5 shts

[ quantity/carton ] 12 shts

[ weight/carton ] 16 kg



Net mounted on back  
Net color: Gray

#### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting × \*


\* Designed for open joint installation. But grouting is recommended to bathroom wall installation to avoid joints from being stained or smelling unpleasant.

#### NOTE:

- Has color variation.
- Color difference may occur between samples and actual batch.
- Water-proofing adhesive is required for bathroom wall installation.








# REPEAT WAVE

〈ROUND〉



IM-7530P1/RW-1  
[MATTE WHITE]



IM-7530P1/RW-2  
[IBUSHI]

## IM-7530P1/RW-1~ RW-2

[ size/pc ] 72×27 mm


[ size/sht ] 300×300 mm

[ thickness ] 7-9 mm

[quantity/sqm] 11.2 shts

[quantity/carton] 14 shts

[weight/carton] 20 kg



Paper mounted on surface

### INSTALLATION MATERIAL AND GROUTING:


Adhesive ○ Mortar ○ Grouting ○

### NOTE:


●Color difference may occur between samples and actual batch.

# CHOCOLATE

New



DCF-35NET/CHC-1



DCF-35NET/CHC-2



DCF-35NET/CHC-3




DCF-35NET/CHC-11



DCF-35NET/CHC-12

## DCF-35NET/CHC-11~CHC-12

- [ size/pc ] 35×35 mm
- [ size/sht ] 292×292 mm
- [ thickness ] 9 mm
- [ quantity/sqm ] 11.8 shts
- [ quantity/carton ] 12 shts
- [ weight/carton ] 15 kg



Net mounted on back  
Net color: Gray

Cross section



### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar Mortar × Grouting × \*

\* Designed for open joint installation. But grouting is recommended for bathroom wall installation to avoid joints being stained or smelling unpleasant.

### NOTE:

- Gray net may be visible from between joints.
- Water-proofing adhesive is required for bathroom wall installation.





# CELAVIO F

New



HAL-155/CFK-1



HAL-155/CFK-2

## HAL-155/CFK-1~CFK-2

[ size/pc ] 47.5×47.5 mm


[ size/sht ] 300×300 mm

[ thickness ] 8 mm

[ quantity/sqm ] 11.2 shts

[ quantity/carton ] 15 shts

[ weight/carton ] 19.1 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.

# CELAVIO G New



HAL-25B/CGV-1



HAL-25B/CGV-2



HAL-25B/CGV-3

## HAL-25B/CGV-1~CGV-3

[ size/pc ] 147.5x22.5 mm


[ size/sht ] 300x300 mm

[ thickness ] 8 mm

[ quantity/sqm ] 11.2 shts

[ quantity/carton ] 15 shts

[ weight/carton ] 19.8 kg



Net mounted on back  
Net color: Gray

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar × Grouting ×

#### NOTE:

- Gray net may be visible from between joints.
- Colors may vary even within the same batch.







# GIYAMAN BORDER

New



DCF-30B/GYM-1



DCF-30B/GYM-2



DCF-30B/GYM-3



DCF-30B/GYM-4

## DCF-30B/GYM-1~GYM-4


[ size/pc ] 220×30

[ thickness ] 15 mm

[ quantity/sqm ] 109 pcs

[ quantity/carton ] 108 pcs

[ weight/carton ] 22 kg



### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar ○ Grouting ○

#### NOTE:


- Water-proofing adhesive is required for bathroom wall installation.
- Stains may enter cracks on the surface after a certain period of use, but this does not affect the performance of the tile itself.




# MADOKA-R



IM-45P1/MDK-31  
[YUKI]




IM-45P1/MDK-32  
[ORIBE]



IM-45P1/MDK-33  
[KAEDE]




IM-45P1/MDK-34  
[IRAKA]



IM-45P1/MDK-35  
[IBUSHI]

## IM-45P1/MDK-31~MDK-35

- [ size/pc ] 45×45 mm
- [ size/sht ] 288×288 mm
- [ thickness ] 9.5 mm
- [quantity/sqm] 12.1 shts
- [quantity/carton] 18 shts
- [weight/carton] 22.5 kg



Paper mounted on surface

### INSTALLATION MATERIAL AND GROUTING:

Adhesive ○ Mortar ○ Grouting ○

### NOTE:

- Grouting is necessary for bathroom wall use.
- Handle MDK-35 carefully as it is easy to get scratches and stains may be remarkable due to Metallic glazing.
- Has color and glaze variation.





# LIXIL

**LIXIL Corporation**

<http://global.lixil.co.jp/>

**JAPAN OFFICE:**

2-1-1, Ojima, Koto-ku,  
Tokyo, 136-8535, JAPAN

TEL: +81-3-3638-8720 FAX: +81-3-3638-8354